



MAGLIFT - Data Sheet



Description

MAGLIFT has been particularly designed for forklift in industrial and logistic operations. This solid tire features high load capacity and outstanding comfort. MAGLIFT shows excellent cut and chip resistance resulting in a long tire life. Its reinforced structure eliminates slippage risks whilst the special bead shape simplifies mounting operations on the rim.

UM

US Standard

Construction

SOLID

Machinery

Industrial: Forklift

SIZE	Version	USACode	RIM REC	RIM ALT	SW	OD	Type	TMPH
15 X 4.5 - 8 (125/75 - 8)	LIP	94045334	3.00 D - 8		4.7	14.9		0
15 X 4.5 - 8 (125/75 - 8)	LIP - NON MARKING	94052028	3.00 D - 8		4.7	14.9		1
15 X 4.5 - 8 (125/75 - 8)	STANDARD	94045129	3.00 D - 8		4.7	14.9		0
15 X 4.5 - 8 (125/75 - 8)	STANDARD - NON MARKING	94054541	3.00 D - 8		4.7	14.9		1
16 X 6 - 8 (150/75 - 8)	LIP	94036950	4.33 R - 8		5.5	16.6		0
16 X 6 - 8 (150/75 - 8)	LIP - NON MARKING	94053438	4.33 R - 8		5.5	16.6		1
16 X 6 - 8 (150/75 - 8)	STANDARD	94036905	4.33 R - 8		5.5	16.6		0
16 X 6 - 8 (150/75 - 8)	STANDARD - NON MARKING	94051571	4.33 R - 8		5.5	16.6		1
18 X 7 - 8 (180/70 - 8)	LIP	94036844	4.33 R - 8		6	18		1
18 X 7 - 8 (180/70 - 8)	LIP - NON MARKING	94053414	4.33 R - 8		6	18		1
18 X 7 - 8 (180/70 - 8)	STANDARD	94035540	4.33 R - 8		6	18		1
18 X 7 - 8 (180/70 - 8)	STANDARD - NON MARKING	94050437	4.33 R - 8		6	18		1
4.00 - 8	LIP	94036899	3.00 D - 8		4.3	16		0
4.00 - 8	LIP - NON MARKING	94054633	3.00 D - 8		4.3	16		1
4.00 - 8	STANDARD	94036608	3.00 D - 8		4.3	16		0
4.00 - 8	STANDARD - NON MARKING	94054497	3.00 D - 8		4.3	16		1
5.00 - 8	LIP	94036837	3.00 D - 8		4.7	18.2		0
5.00 - 8	LIP - NON MARKING	94053421	3.00 D - 8		4.7	18.2		1
5.00 - 8	STANDARD	94035526	3.00 D - 8		4.7	18.2		0
5.00 - 8	STANDARD - NON MARKING	94051540	3.00 D - 8		4.7	18.2		1
140/55 - 9	LIP	94044429	4.00 E - 9		5.2	14.8		0
140/55 - 9	LIP - NON MARKING	94054787	4.00 E - 9		5.2	14.8		0
140/55 - 9	STANDARD	94044412	4.00 E - 9		5.2	14.8		0
140/55 - 9	STANDARD - NON MARKING	94054596	4.00 E - 9		5.2	14.8		0
21 X 8 - 9 (200/75 - 9)	LIP	94044559	6.00 E - 9		7.4	20.7		0
21 X 8 - 9 (200/75 - 9)	LIP - NON MARKING	94054756	6.00 E - 9		7.4	20.7		1
21 X 8 - 9 (200/75 - 9)	STANDARD	94044542	6.00 E - 9		7.4	20.7		0
21 X 8 - 9 (200/75 - 9)	STANDARD - NON MARKING	94054558	6.00 E - 9		7.4	20.7		1
6.00 - 9	LIP	94036820	4.00 E - 9		5.6	20.8		0
6.00 - 9	LIP - NON MARKING	94054640	4.00 E - 9		5.6	20.8		1
6.00 - 9	STANDARD	94036424	4.00 E - 9		5.6	20.8		0
6.00 - 9	STANDARD - NON MARKING	94052035	4.00 E - 9		5.6	20.8		1
180/60 - 10	LIP	94063932	5.00F-10		6	18.1		0
180/60 - 10	STANDARD	94063925	5.00F-10		6	18.1		0
200/50 - 10	LIP	94044535	6.50 F - 10		7.6	18		0

200/50 - 10	LIP - NON MARKING	94054794	6.50 F - 10	7.6	18	0
200/50 - 10	STANDARD	94044528	6.50 F - 10	7.6	18	0
200/50 - 10	STANDARD - NON MARKING	94054602	6.50 F - 10	7.6	18	0
23 X 9 - 10 (225/75 - 10)	LIP	94044511	6.50 F - 10	8.4	23	0
23 X 9 - 10 (225/75 - 10)	LIP - NON MARKING	94052042	6.50 F - 10	8.4	23	0
23 X 9 - 10 (225/75 - 10)	STANDARD	94044504	6.50 F - 10	8.4	23	0
23 X 9 - 10 (225/75 - 10)	STANDARD - NON MARKING	94054565	6.50 F - 10	8.4	23	0
6.50 - 10	LIP	94036868	5.00 F - 10	6.1	22.6	0
6.50 - 10	LIP - NON MARKING	94054657	5.00 F - 10	6.1	22.6	0
6.50 - 10	STANDARD	94036448	5.00 F - 10	6.1	22.6	0
6.50 - 10	STANDARD - NON MARKING	94051557	5.00 F - 10	6.1	22.6	0
23 X 10 - 12 (250/60 - 12)	LIP	94050451	8.00 G - 12	9.3	23	0
23 X 10 - 12 (250/60 - 12)	LIP - NON MARKING	94054763	8.00 G - 12	9.3	23	0
23 X 10 - 12 (250/60 - 12)	STANDARD	94050017	8.00 G - 12	9.3	23	0
23 X 10 - 12 (250/60 - 12)	STANDARD - NON MARKING	94054572	8.00 G - 12	9.3	23	0
27 X 10 - 12 (250/75 - 12)	LIP	94044917	8.00 G - 12	9.4	26.7	0
27 X 10 - 12 (250/75 - 12)	LIP - NON MARKING	94054770	8.00 G - 12	9.4	26.7	0
27 X 10 - 12 (250/75 - 12)	STANDARD	94044900	8.00 G - 12	9.4	26.7	0
27 X 10 - 12 (250/75 - 12)	STANDARD - NON MARKING	94054589	8.00 G - 12	9.4	26.7	0
315/45 - 12	LIP	94064090	10.00G-12	11.1	22.8	0
315/45 - 12	STANDARD	94064083	10.00G-12	11.1	22.8	0
7.00 - 12	LIP	94036875	5.00 S - 12	6.6	25.9	0
7.00 - 12	LIP - NON MARKING	94054688	5.00 S - 12	6.6	25.9	0
7.00 - 12	STANDARD	94035557	5.00 S - 12	6.6	25.9	0
7.00 - 12	STANDARD - NON MARKING	94050000	5.00 S - 12	6.6	25.9	0
250 - 15 (250/70 - 15)	LIP	94036936	7.0 - 15	8.5	28.3	0
250 - 15 (250/70 - 15)	LIP - NON MARKING	94054800	7.0 - 15	8.5	28.3	0
250 - 15 (250/70 - 15)	STANDARD	94035564	7.0 - 15	8.5	28.3	0
250 - 15 (250/70 - 15)	STANDARD - NON MARKING	94054619	7.0 - 15	8.5	28.3	0
28 X 12.5 - 15 (355/45 - 15)	LIP	94052448	9.75 - 15	11.6	27	0
28 X 12.5 - 15 (355/45 - 15)	LIP - NON MARKING	94061891	9.75 - 15	11.6	27	0
28 X 12.5 - 15 (355/45 - 15)	STANDARD	94051359	9.75 - 15	11.6	27	0
28 X 12.5 - 15 (355/45 - 15)	STANDARD - NON MARKING	94061884	9.75 - 15	11.6	27	0
300 - 15 (315/70 - 15)	LIP	94036929	8.0 - 15	10	32.3	0
300 - 15 (315/70 - 15)	LIP - NON MARKING	94054817	8.0 - 15	10	32.3	0

300 - 15 (315/70 - 15)	STANDARD	94036813	8.0 - 15	10	32.3	0
300 - 15 (315/70 - 15)	STANDARD - NON MARKING	94054626	8.0 - 15	10	32.3	0
32 X 12.5 - 15 (355 / 65 - 15)	LIP	94066667	9.75 - 15	11.6	32.5	0
32 X 12.5 - 15 (355 / 65 - 15)	STANDARD	94066650	9.75 - 15	11.6	32.5	0
5.50 - 15	STANDARD	94069811	4.50 E - 15	5.7	26.2	0
7.00 - 15	LIP	94044405	5.5 - 15	7.1	28.7	0
7.00 - 15	LIP - NON MARKING	94054695	5.5 - 15	7.1	28.7	0
7.00 - 15	STANDARD	94043958	5.5 - 15	7.1	28.7	0
7.00 - 15	STANDARD - NON MARKING	94054503	5.5 - 15	7.1	28.7	0
7.50 - 15	LIP	94044627	5.5 - 15	7.6	29.8	0
7.50 - 15	LIP	94044443	6.0 - 15	7.6	29.8	0
7.50 - 15	LIP - NON MARKING	94054725	6.0 - 15	7.6	29.8	0
7.50 - 15	LIP - NON MARKING	94054701	5.5 - 15	7.6	29.8	0
7.50 - 15	STANDARD	94044610	5.5 - 15	7.6	29.8	0
7.50 - 15	STANDARD	94044436	6.0 - 15	7.6	29.8	0
7.50 - 15	STANDARD - NON MARKING	94054510	5.5 - 15	7.6	29.8	0
7.50 - 15	STANDARD - NON MARKING	94054527	6.0 - 15	7.6	29.8	0
8.15-15/28x9-15 (225/75-15)	LIP	94036943	7.0 - 15	8.6	27.2	0
8.15-15/28x9-15 (225/75-15)	LIP - NON MARKING	94054732	7.0 - 15	8.6	27.2	0
8.15-15/28x9-15 (225/75-15)	STANDARD	94036547	7.0 - 15	8.6	27.2	0
8.15-15/28x9-15 (225/75-15)	STANDARD - NON MARKING	94051564	7.0 - 15	8.6	27.2	0
8.25 - 15	LIP	94036912	6.5 - 15	8.1	32.2	0
8.25 - 15	LIP - NON MARKING	94054749	6.5 - 15	8.1	32.2	0
8.25 - 15	STANDARD	94035571	6.5 - 15	8.1	32.2	0
8.25 - 15	STANDARD - NON MARKING	94054534	6.5 - 15	8.1	32.2	0
10.00 - 20	STANDARD	94069514	7.50 - 20	10	40.7	0
10.00 - 20	STANDARD	94069767	7.00 - 20	10	40.7	0
10.00 - 20	STANDARD	94069774	8.00 - 20	10	40.7	0
11.00 - 20	STANDARD	94074105	7.50 - 20	10.2	41.7	0
11.00 - 20	STANDARD	94073818	8.00 - 20	10.2	41.7	0
12.00 - 20	STANDARD	94069583	8.50 - 20	11.2	42.9	0
12.00 - 20	STANDARD	94069552	8.00 - 20	11.2	42.9	0
14.00 - 24	STANDARD	94073184	10.00 - 24	13	52	0

Rolling Circumference & SLR values are at rated Load and inflation pressure. These values may vary at different Load and pressure condition.

Printed on 05/11/2024 03:49

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for

undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..