

## MAGLIFT - Ficha técnica



### Description

MAGLIFT ha sido particularmente proyectado para las operaciones realizadas con las carretillas elevadoras que se usan en las operaciones industriales y en la logística. Este neumático sólido se caracteriza por una elevada capacidad de carga, así como por su excepcional confort. MAGLIFT ofrece una extraordinaria resistencia a cualquier tipo de corte, que se traduce en un ciclo de vida más prolongado para este neumático. La estructura reforzada reduce el riesgo de derrape, mientras que la forma especial del talón facilita su montaje en la llanta.

### UM

International Standard

### Construction

◆ SOLID

### Machinery

Industrial: Carretilla elevadora

SIZE	Version	RIM REC	RIM ALT	SW	OD	Type	TKPH
15 X 4.5 - 8 (125/75 - 8)	LIP	3.00 D - 8		119	378		0
15 X 4.5 - 8 (125/75 - 8)	LIP - NON MARKING	3.00 D - 8		119	378		1
15 X 4.5 - 8 (125/75 - 8)	STANDARD	3.00 D - 8		119	378		0
15 X 4.5 - 8 (125/75 - 8)	STANDARD - NON MARKING	3.00 D - 8		119	378		1
16 X 6 - 8 (150/75 - 8)	LIP	4.33 R - 8		139	421		0
16 X 6 - 8 (150/75 - 8)	LIP - NON MARKING	4.33 R - 8		139	421		1
16 X 6 - 8 (150/75 - 8)	STANDARD	4.33 R - 8		139	421		0
16 X 6 - 8 (150/75 - 8)	STANDARD - NON MARKING	4.33 R - 8		139	421		1
18 X 7 - 8 (180/70 - 8)	LIP	4.33 R - 8		153	457		1
18 X 7 - 8 (180/70 - 8)	LIP - NON MARKING	4.33 R - 8		153	457		1
18 X 7 - 8 (180/70 - 8)	STANDARD	4.33 R - 8		153	457		1
18 X 7 - 8 (180/70 - 8)	STANDARD - NON MARKING	4.33 R - 8		153	457		1
4.00 - 8	LIP	3.00 D - 8		109	406		0
4.00 - 8	LIP - NON MARKING	3.00 D - 8		109	406		1
4.00 - 8	STANDARD	3.00 D - 8		109	406		0
4.00 - 8	STANDARD - NON MARKING	3.00 D - 8		109	406		1
5.00 - 8	LIP	3.00 D - 8		120	462		0
5.00 - 8	LIP - NON MARKING	3.00 D - 8		120	462		1
5.00 - 8	STANDARD	3.00 D - 8		120	462		0
5.00 - 8	STANDARD - NON MARKING	3.00 D - 8		120	462		1
140/55 - 9	LIP	4.00 E - 9		132	377		0
140/55 - 9	LIP - NON MARKING	4.00 E - 9		132	377		0
140/55 - 9	STANDARD	4.00 E - 9		132	377		0
140/55 - 9	STANDARD - NON MARKING	4.00 E - 9		132	377		0
21 X 8 - 9 (200/75 - 9)	LIP	6.00 E - 9		189	525		0
21 X 8 - 9 (200/75 - 9)	LIP - NON MARKING	6.00 E - 9		189	525		1
21 X 8 - 9 (200/75 - 9)	STANDARD	6.00 E - 9		189	525		0
21 X 8 - 9 (200/75 - 9)	STANDARD - NON MARKING	6.00 E - 9		189	525		1
6.00 - 9	LIP	4.00 E - 9		141	529		0
6.00 - 9	LIP - NON MARKING	4.00 E - 9		141	529		1
6.00 - 9	STANDARD	4.00 E - 9		141	529		0
6.00 - 9	STANDARD - NON MARKING	4.00 E - 9		141	529		1
180/60 - 10	LIP	5.00F-10		153	460		
180/60 - 10	STANDARD	5.00F-10		153	460		
200/50 - 10	LIP	6.50 F - 10		193	458		0
200/50 - 10	LIP - NON MARKING	6.50 F - 10		193	458		0

200/50 - 10	STANDARD	6.50 F - 10	193	458	0
200/50 - 10	STANDARD - NON MARKING	6.50 F - 10	193	458	0
23 X 9 - 10 (225/75 - 10)	LIP	6.50 F - 10	213	585	0
23 X 9 - 10 (225/75 - 10)	LIP - NON MARKING	6.50 F - 10	213	585	0
23 X 9 - 10 (225/75 - 10)	STANDARD	6.50 F - 10	213	585	0
23 X 9 - 10 (225/75 - 10)	STANDARD - NON MARKING	6.50 F - 10	213	585	0
6.50 - 10	LIP	5.00 F - 10	154	575	0
6.50 - 10	LIP - NON MARKING	5.00 F - 10	154	575	0
6.50 - 10	STANDARD	5.00 F - 10	154	575	0
6.50 - 10	STANDARD - NON MARKING	5.00 F - 10	154	575	0
23 X 10 - 12 (250/60 - 12)	LIP	8.00 G - 12	236	584	0
23 X 10 - 12 (250/60 - 12)	LIP - NON MARKING	8.00 G - 12	236	584	0
23 X 10 - 12 (250/60 - 12)	STANDARD	8.00 G - 12	236	584	0
23 X 10 - 12 (250/60 - 12)	STANDARD - NON MARKING	8.00 G - 12	236	584	0
27 X 10 - 12 (250/75 - 12)	LIP	8.00 G - 12	240	677	0
27 X 10 - 12 (250/75 - 12)	LIP - NON MARKING	8.00 G - 12	240	677	0
27 X 10 - 12 (250/75 - 12)	STANDARD	8.00 G - 12	240	677	0
27 X 10 - 12 (250/75 - 12)	STANDARD - NON MARKING	8.00 G - 12	240	677	0
315/45 - 12	LIP	10.00G-12	282	578	
315/45 - 12	STANDARD	10.00G-12	282	578	
7.00 - 12	LIP	5.00 S - 12	168	658	0
7.00 - 12	LIP - NON MARKING	5.00 S - 12	168	658	0
7.00 - 12	STANDARD	5.00 S - 12	168	658	0
7.00 - 12	STANDARD - NON MARKING	5.00 S - 12	168	658	0
250 - 15 (250/70 - 15)	LIP	7.0 - 15	216	718	0
250 - 15 (250/70 - 15)	LIP - NON MARKING	7.0 - 15	216	718	0
250 - 15 (250/70 - 15)	STANDARD	7.0 - 15	216	718	0
250 - 15 (250/70 - 15)	STANDARD - NON MARKING	7.0 - 15	216	718	0
28 X 12.5 - 15 (355/45 - 15)	LIP	9.75 - 15	295	687	0
28 X 12.5 - 15 (355/45 - 15)	LIP - NON MARKING	9.75 - 15	295	687	0
28 X 12.5 - 15 (355/45 - 15)	STANDARD	9.75 - 15	295	687	0
28 X 12.5 - 15 (355/45 - 15)	STANDARD - NON MARKING	9.75 - 15	295	687	0
300 - 15 (315/70 - 15)	LIP	8.0 - 15	255	820	0
300 - 15 (315/70 - 15)	LIP - NON MARKING	8.0 - 15	255	820	0
300 - 15 (315/70 - 15)	STANDARD	8.0 - 15	255	820	0
300 - 15 (315/70 - 15)	STANDARD - NON MARKING	8.0 - 15	255	820	0

32 X 12.5 - 15 (355 / 65 - 15)	LIP	9.75 - 15	295	825	
32 X 12.5 - 15 (355 / 65 - 15)	STANDARD	9.75 - 15	295	825	
5.50 - 15	STANDARD	4.50 E - 15	145	665	
7.00 - 15	LIP	5.5 - 15	180	730	0
7.00 - 15	LIP - NON MARKING	5.5 - 15	180	730	0
7.00 - 15	STANDARD	5.5 - 15	180	730	0
7.00 - 15	STANDARD - NON MARKING	5.5 - 15	180	730	0
7.50 - 15	LIP	5.5 - 15	193	756	0
7.50 - 15	LIP	6.0 - 15	193	756	0
7.50 - 15	LIP - NON MARKING	6.0 - 15	193	756	0
7.50 - 15	LIP - NON MARKING	5.5 - 15	193	756	0
7.50 - 15	STANDARD	5.5 - 15	193	756	0
7.50 - 15	STANDARD	6.0 - 15	193	756	0
7.50 - 15	STANDARD - NON MARKING	5.5 - 15	193	756	0
7.50 - 15	STANDARD - NON MARKING	6.0 - 15	193	756	0
8.15-15/28x9-15 (225/75-15)	LIP	7.0 - 15	218	691	0
8.15-15/28x9-15 (225/75-15)	LIP - NON MARKING	7.0 - 15	218	691	0
8.15-15/28x9-15 (225/75-15)	STANDARD	7.0 - 15	218	691	
8.15-15/28x9-15 (225/75-15)	STANDARD - NON MARKING	7.0 - 15	218	691	0
8.25 - 15	LIP	6.5 - 15	207	818	0
8.25 - 15	LIP - NON MARKING	6.5 - 15	207	818	0
8.25 - 15	STANDARD	6.5 - 15	207	818	0
8.25 - 15	STANDARD - NON MARKING	6.5 - 15	207	818	0
10.00 - 20	STANDARD	7.50 - 20	255	1035	
10.00 - 20	STANDARD	7.00 - 20	255	1035	
10.00 - 20	STANDARD	8.00 - 20	255	1035	
11.00 - 20	STANDARD	7.50 - 20	259	1060	
11.00 - 20	STANDARD	8.00 - 20	259	1060	
12.00 - 20	STANDARD	8.50 - 20	285	1090	
12.00 - 20	STANDARD	8.00 - 20	285	1090	
14.00 - 24	STANDARD	10.00 - 24	330	1320	

Rolling Circumference & SLR values are at rated Load and inflation pressure. These values may vary at different Load and pressure condition.

Printed on 05/11/2024 3:18

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..