

AGRIMAX RT 765 - Fiche de données



Description

AGRIMAX RT 765, un pneu de la série 70 de BKT, est idéal pour équiper les tracteurs les plus modernes utilisés dans les applications lourdes, telles que traitements de terrains, déplacements aux champs et sur route, vendange et pulvérisations. La large zone de contact garantit une traction et un confort optimaux sur toutes les surfaces et à tout moment. Le pneu se distingue de par ses excellentes qualités d'autonettoyage et le compactage du sol réduit. Deux tailles sont disponibles avec la technologie de ceintures en acier.

UM

US Standard

Construction

 RADIAL

Machinery

Agriculture: Pulvérisateur • Tracteur • Machine à vendanger

SIZE	Version	USACode	TRA Code	LI/SS	RIM REC	RIM ALT	SW	OD	SLR	RC	Type	TMPH	ECE
200/70 R 16	STANDARD	94026869	R1W	94 A8/B	W 6		7.8	27	12.4	81.1	TL	0	E4-106R-000607
220/70 R 16	STANDARD	94045365	R1W	99 A8/B	W 7	W 8	8.7	28.1	12.8	84.4	TL	0	E11-106R-003354
240/70 R 16	STANDARD	94022014	R1W	104 A8/B	W 8	W 8 L ; W 9 L	9.6	29.2	13.2	85.7	TL	0	E4-106R-000609
260/70 R 16	STANDARD	94021888	R1W	109 A8/B	W 8	W 8 L ; W 9 L	10.2	30.3	13.6	89.9	TL	0	E4-106R-000610
280/70 R 16	STANDARD	94021895	R1W	112 A8/B	W 9	W 8 ; W 8 L ; W 10	11.1	31.4	14	93.3	TL	0	E4-106R-000633
280/70 R 18	STANDARD	94021901	R1W	114 A8/B	W 9	W 8 ; W 10	11.1	33.4	15	100.3	TL	0	E4-106R-000635
260/70 R 20	SPECIAL	94044221	R1W	113 A8/B	W 8	9 ; W 9	10.2	34.3	15.8	103.9	TL	0	E4-106R-000640
260/70 R 20	STANDARD	94030576	R1W	113 A8/B	W 8	9 ; W 9	10.2	34.3	15.8	103.9	TL	0	E4-106R-000640
280/70 R 20	SPECIAL	94044238	R1W	116 A8/B	W 9	W 8 ; W 10	10.8	35.4	16.1	106.5	TL	0	E4-106R-00641
280/70 R 20	STANDARD	94021970	R1W	116 A8/B	W 9	W 8 ; W 10	10.7	35.4	16.1	106.5	TL	0	E4-106R-00641
300/70 R 20	STANDARD	94021925	R1W	120 A8/B	W 9	W 10	11.6	37.5	16.9	112.4	TL	0	E4-106R-000643
320/70 R 20	STANDARD	94021932	R1W	123 A8/B	W 10	W 9 ; W 11	12.6	38.7	17.5	115.7	TL	0	E4-106R-000644
360/70 R 20	STANDARD	94021949	R1W	129 A8/B	W 11	W 10 ; W 12	14.1	41	18.5	122.9	TL	0	E4-106R-000647
380/70 R 20	STANDARD	94021987	R1W	132 A8/B	W 12	W 11 ; W 13	15	42.6	19	126.5	TL	0	E4-106R-00648
320/70 R 24	SPECIAL	94063154	R1W	116 D	W 10	W 9 ; W 11	12.6	43.1	19.8	127.8	TL	0	E11-106R-005827
320/70 R 24	STANDARD	94063031	R1W	116 D	W 10	W 9 ; W 11	12.6	43.1	19.8	127.8	TL	0	E11-106R-005827
360/70 R 24	SPECIAL	94063130	R1W	122 D	W 11	W 10 ; W 12	14.1	45.4	20.4	133.7	TL	1	E11-106R-005824
360/70 R24	STANDARD	94063017	R1W	122 D	W 11	W 10 ; W 12	14.1	45.4	20.4	133.7	TL	0	E11-106R-005824
380/70 R 24	SPECIAL	94062614	R1W	125 D	W 12	W 11 ; W 13	15	46.9	21.2	140.2	TL	1	E11-106R-005767
380/70 R 24	STANDARD	94062607	R1W	125 D	W 12	W 11 ; W 13	15	46.9	21.2	140.2	TL	0	E11-106R-005767
420/70 R 24	SPECIAL	94063147	R1W	130 D	W 13	W 12 ; W 14 L	16.5	49.1	21.8	144.9	TL	0	E11-106R-005826
420/70 R 24	SPECIAL	94063277	R1W	134 D	W 13	W 12 ; W 14 L	16.5	49.1	21.8	144.9	TL	1	E11-106R-005825
420/70 R 24	STANDARD	94063024	R1W	130 D	W 13	W 12 ; W 14 L	16.5	49.1	21.8	144.9	TL	0	E11-106R-005826
420/70 R 24	STANDARD	94063260	R1W	134 D	W 13	W 12 ; W 14 L	16.5	49.1	21.8	144.9	TL	0	E11-106R-005825
480/70 R 24	SPECIAL	94062270	R1W	138 D	W 15 L	W 14 L ; W 16 L	18.9	51.8	22.8	153.3	TL	0	E11-106R-005519
480/70 R 24	STANDARD	94062195	R1W	138 D	W 15 L	W 14 L ; W 16 L	18.9	51.8	22.8	153.3	TL	0	E11-106R-005519
360/70 R 28	SPECIAL	94063161	R1W	125 D	W 11	W 10 ; W 12	14.1	49.3	22.8	148.3	TL	0	E11-106R-005828
360/70 R 28	STANDARD	94063048	R1W	125 D	W 11	W 10 ; W 12	14.1	49.3	22.8	148.3	TL	0	E11-106R-005828
380/70 R 28	SPECIAL	94063178	R1W	127 D	W 12	W 11 ; W 13	15	50.9	23.1	152.9	TL	0	E11-106R-005829
380/70 R	STANDARD	94063055	R1W	127 D	W 12	W 11 ; W 13	15	50.9	23.1	152.9	TL	0	E11-106R-

28													005829
420/70 R 28	SPECIAL	94062263	R1W	133 D	W 13	W 12 ; W 14 L	16.5	53.1	23.8	158.3	TL	0	E11-106R-005520
420/70 R 28	STANDARD	94062171	R1W	133 D	W 13	W 12 ; W 14 L	16.5	53.1	23.8	158.3	TL	0	E11-106R-005520
480/70 R 28	SPECIAL	94062287	R1W	140 D	W 15 L	W 14 L ; W 16 L	18.9	55.9	25	164.8	TL	0	E11-106R-005521
480/70 R 28	STANDARD	94062201	R1W	140 D	W 15 L	W 14 L ; W 16 L	18.9	55.9	25	164.8	TL	0	E11-106R-005521
600/70 R 28	STANDARD	94067251	R1W	157 D	DW 18 L	DW 20 B	23.3	61.1	27.4	184.7	TL	0	E11-106R-006861
420/70 R 30	SPECIAL	94063185	R1W	134 D	W 13	W 12 ; W 14 L	16.5	55	24.8	164.3	TL	0	E11-106R-005830
420/70 R 30	STANDARD	94063062	R1W	134 D	W 13	W 12 ; W 14 L	16.5	55	24.8	164.3	TL	0	E11-106R-005830
480/70 R 30	SPECIAL	94062294	R1W	141 D	W 15 L	W 14 L ; W 16 L	18.9	58.2	25.9	172.1	TL	0	E11-106R-005522
480/70 R 30	STANDARD	94062218	R1W	141 D	W 15 L	W 14 L ; W 16 L	18.9	58.2	25.9	172.1	TL	0	E11-106R-005522
600/70 R 30	SPECIAL	94062331	R1W	152 D	DW 20 B	DW 18 L ; W 18 L	24.1	63.1	28	188	TL	0	E11-106R-005523
600/70 R 30	STANDARD	94062256	R1W	152 D	DW 20 B	DW 18 L ; W 18 L	24.1	63.1	28	188	TL	0	E11-106R-005523
480/70 R 34	SPECIAL	94062300	R1W	149 D	W 15 L	W 14 L ; W 16 L	18.9	62.2	28	187.9	TL	0	E11-106R-005524
480/70 R 34	SPECIAL	94063284	R1W	155 D	W 15 L	W 14 L ; W 16 L	18.9	62.2	28.7	188.5	TL	0	E11-106R-005834
480/70 R 34	STANDARD	94062225	R1W	149 D	W 15 L	W 14 L ; W 16 L	18.9	62.2	28	187.9	TL	0	E11-106R-005524
480/70 R 34	STANDARD	94063109	R1W	155 D	W 15 L	W 14 L ; W 16 L	18.9	62.2	28.7	188.5	TL	0	E11-106R-005834
520/70 R 34	SPECIAL	94063192	R1W	148 D	W 16 L	W 15 L ; W 18 L	20.3	64.6	29.1	194	TL	0	E11-106R-005831
520/70 R 34	STANDARD	94063079	R1W	148 D	W 16 L	W 15 L ; W 18 L	20.3	64.6	29.1	194	TL	0	E11-106R-005831
480/70 R 38	SPECIAL	94063208	R1W	145 D	W 15 L	W 14 L ; W 16 L	18.9	66.2	30.1	199	TL	0	E11-106R-005832
480/70 R 38	STANDARD	94063086	R1W	145 D	W 15 L	W 14 L ; W 16 L	18.9	66.2	30.1	199	TL	0	E11-106R-005832
520/70 R 38	SPECIAL	94062317	R1W	150 D	W 16 L	W 15 L ; W 18 L	20.3	68.9	31.2	208.7	TL	0	E11-106R-005525
520/70 R 38	STANDARD	94062232	R1W	150 D	W 16 L	W 15 L ; W 18 L	20.3	68.9	31.2	208.7	TL	0	E11-106R-005525
580/70 R 38	SPECIAL	94062324	R1W	155 D	W 18 L		22.7	71.9	32.3	215.4	TL	0	E11-106R-005526
580/70 R 38	STANDARD	94062249	R1W	155 D	W 18 L		22.7	71.9	32.3	215.4	TL	0	E11-106R-005526
580/70 R 38	STEEL BELTED	94038510	R1W	180 A8	W 18 L		22.7	71.9	32.3	216.7	TL	0	E4-106R-000809
580/70 R 38	STEEL BELTED	94038510	R1W	180 D	W 18 L		22.7	71.9	32.3	216.7	TL	0	E11-106R-005836
620/70 R 38	SPECIAL	94063567	R1W	170 D	DW 20 B	DW 18 L ; W 18 L	24.6	72.2	32.6	220.1	TL	0	E11-106R-005997
620/70 R 38	STANDARD	94063482	R1W	170 D	DW 20 B	DW 18 L ; W 18 L	24.6	72.2	32.6	220.1	TL	0	E11-106R-005997
650/75 R 38	STANDARD	94063895	R1W	169 D	DW 21 B	DW 20 B ; DW 23 B	25.8	76.4	34.4	229.1	TL	0	E11-106R-006161
710/70 R 38	SPECIAL	94063536	R1W	175 D/178 A8	DW 23 B		28.2	77.1	33.8	226.4	TL	0	E11-106R-006000
710/70 R 38	SPECIAL	94063222	R1W	166 D	DW 23 B		28.2	77.1	33.8	226.4	TL	0	E11-106R-005837
710/70 R 38	STANDARD	94063499	R1W	175 D/178 A8	DW 23 B		28.2	77.1	33.8	226.4	TL	0	E11-106R-006000

710/70 R 38	STANDARD	94066773	R1W	166 D	DW 23 B		28.2	77.1	33.8	226.4	TL	0	E11-106R-005837
710/70 R 38	STANDARD	94066797	R1W	171D/174A8	DW 23 B		28.2	77.1	33.8	226.4	TL	0	E11-106R-004072
620/70 R 42	SPECIAL	94063215	R1W	160 D	DW 20 B	DW 18 L	24.6	76.2	34.5	226.1	TL	0	E11-106R-005835
620/70 R 42	SPECIAL	94063543	R1W	166 D	DW 20 B	DW 18 L	24.6	76.2	34.5	228.4	TL	0	E11-106R-005998
620/70 R 42	SPECIAL	94063369	R1W	173 D	DW 20 B	DW 18 L	24.6	76.2	34.5	228.5	TL	0	E11-106R-005833
620/70 R 42	STANDARD	94063116	R1W	160 D	DW 20 B	DW 18 L	24.6	76.2	34.5	226.1	TL	0	E11-106R-005835
620/70 R 42	STANDARD	94063505	R1W	166 D	DW 20 B	DW 18 L	24.6	76.2	34.5	228.4	TL	0	E11-106R-005998
620/70 R 42	STANDARD	94063093	R1W	173 D	DW 20 B	DW 18 L	24.6	76.2	34.5	228.5	TL	0	E11-106R-005833
650/75 R 42	STANDARD	94065493	R1W	170 D	DW21B	DW20B;DW23B	25.8	80.4	36.1	242	TL	0	E11-106R-006402
710/70 R 42	SPECIAL	94063550	R1W	176 D/179 A8	DW 23 B	DW 25 B	28.2	81.1	36.3	243.1	TL	1	E11-106R-006001
710/70 R 42	STANDARD	94063512	R1W	176 D/179 A8	DW 23 B	DW 25 B	28.2	81.1	36.3	243.1	TL	0	E11-106R-006001
710/70 R 42	STANDARD	94033157	R1W	173 D/176 A8	DW 23 B	DW 25 B	28.2	81.1	36.3	243.1	TL	0	E4-106R-000807
620/70 R 46	SPECIAL	94063574	R1W	162 D	DW 20 B		24.6	80.2	36.4	240.4	TL	1	E11-106R-005999
620/70 R 46	STANDARD	94063529	R1W	162 D	DW 20 B		24.6	80.2	36.4	240.4	TL	0	E11-106R-005999

Rolling Circumference & SLR values are at rated Load and inflation pressure. These values may vary at different Load and pressure condition.

Printed on 05/11/2024 12:15

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..