

MP 567 - Scheda tecnica



Description

MP 567 è uno pneumatico agro-industriale idoneo per il trasporto sia su campo che su strada, per operazioni nell'ambito municipalità/manutenzione. È lo pneumatico perfetto per sollevatori telescopici e attrezzi agricoli. Lo pneumatico MP 567 offre ottima trazione in tutte le condizioni atmosferiche, nonché delle eccellenti proprietà di autopulitura. Questo pneumatico garantisce un'esperienza di guida confortevole nonché una vita operativa prolungata.

UM

US Standard

Construction

❖ BIAS

Machinery

Agricoltura: Attrezzi agricoli • Sollevatore telescopico
Industriale: Sollevatore telescopico • Veicolo universale

SIZE	Version	USACode	LI/SS	LI/SS DRIVE WHEEL	LI/SS FREE ROLLING	PR	RIM REC	RIM ALT	SW	OD	SLR	RC	Type	TMPH	ECE
11.5/80 - 15	IMPLEMENT	94054930		123 A8	135 A8	12	8 LB		11.4	34.4	0	0	TL	0	E11-106R-004621
10.0/75 - 15.3	IMPLEMENT	94057573		123 A8	135 A8	18	9.0		10.2	30.5	14.4	94.5	TL	1	E11-106R-003607
10.0/75 - 15.3	IMPLEMENT	94057542		111 A8	123 A8	10	9.0		10.2	30.5	14.4	94.5	TL	1	E11-106R-003526
10.0/75 - 15.3	IMPLEMENT	94057559		114 A8	126 A8	12	9.0		10.2	30.5	14.4	94.5	TL	1	E11-106R-003527
10.0/75 - 15.3	IMPLEMENT	94057566		118 A8	130 A8	14	9.0		10.2	30.5	14.4	94.5	TL	1	E11-106R-003528
11.5/80 - 15.3	IMPLEMENT	94057580		119 A8	131 A8	10	9.0		11.5	34.2	15.5	101.5	TL	1	E11-106R-003529
11.5/80 - 15.3	IMPLEMENT	94057597		126 A8	139 A8	14	9.0		11.5	34.2	15.5	101.5	TL	1	E11-106R-003373
11.5/80 - 15.3	IMPLEMENT	94057603		130 A8	143 A8	18	9.0		11.5	34.2	15.5	101.5	TL	1	E11-106R-003392
10.5 - 18	SPECIAL	94046324				12	9	9 SDC	10.7	35.6	16.3	109	TL	0	
10.5 - 18	STANDARD	94037865				10	9	9 SDC	10.7	35.6	16.3	109	TT	0	E4-54R-0022624
10.5 - 18	STANDARD	94037872				10	9	9 SDC	10.7	35.6	16.3	109	TL	0	E4-54R-0022624
10.5 - 18	STANDARD	94037889				12	9	9 SDC	10.7	35.6	16.3	109	TL	0	E4-54R-0022625
12.0/75 - 18 (300/75 - 18)	IMPLEMENT	94067541		126 A8	139 A8	12	W9	9 ; 11	11.7	36	16.8	107.2	TL	0	E11-106R-006701
12.5 - 18	STANDARD	94037896				10	11	12 SDC	12.8	39	17.7	115.7	TT	0	E4-54R-0022626
12.5 - 18	STANDARD	94038107				10	11	12 SDC	12.8	39	17.7	115.7	TL	0	E4-54R-0022626
12.5 - 18	STANDARD	94038114				12	11	12 SDC	12.8	39	17.7	115.7	TT	0	E4-54R-0022627
12.5 - 18	STANDARD	94038121				12	11	12 SDC	12.8	39	18.3	119.1	TL	0	E4-54R-0022627
12.5 - 18	STANDARD	94038138				16	11	12 SDC	12.8	39	17.7	115.7	TL	0	E4-54R-0022628
18 - 19.5 IND	STANDARD	94015177	165 B / 167 A8			18	14.00		18.1	43.5	19.6	129.1	TL	1	E11-106R-003663
18 - 19.5 IND	STANDARD	94015153	160 B / 162 A8			16	14.00		18.1	43.5	19.6	129.1	TL	1	E11-106R-003639
10.5 - 20	STANDARD	94038145				10	9	9 SDC	10.6	37.6	17.5	113.4	TT	0	E4-54R-0022630
10.5 - 20	STANDARD	94038091				10	9	9 SDC	10.6	37.6	17.5	113.4	TL	0	E4-54R-0022630
12.5 - 20	HD	94060207				12	11.0	12 SDC	12.8	40.9	19.3	123.7	TL	0	
12.5 - 20	STANDARD	94047833				16	11.0	12 SDC	12.8	40.9	19.3	123.7	TL	0	
12.5 - 20	STANDARD	94038206				10	11.0	12 SDC	12.8	40.9	19.3	123.7	TT	0	E4-54R-0022632
12.5 - 20	STANDARD	94038213				10	11.0	12	12.8	40.9	19.3	123.7	TL	0	E4-54R-

			SDC										0022632
12.5 - 20	STANDARD	94038220	12	11.0	12 SDC	12.8	40.9	19.3	123.7	TT	0	E4-54R-0022633	
12.5 - 20	STANDARD	94038237	12	11.0	12 SDC	12.8	40.9	19.3	123.7	TL	0	E4-54R-0022633	
14.5 - 20	HD	94057849	14	11	12 SDC	14.2	43.9	19.5	130.5	TL	0		
14.5 - 20	STANDARD	94038268	10	11	12 SDC	14.2	43.9	19.5	130.5	TL	0	E4-54R-0022636	
14.5 - 20	STANDARD	94038282	12	11	12 SDC	14.2	43.9	19.5	130.5	TL	0	E4-54R-0022637	
14.5 - 20	STANDARD	94038299	14	11	12 SDC	14.2	43.9	19.5	130.5	TL	0	E4-54R-0022638	
14.5 - 20	STANDARD	94015092	16	11	12 SDC	14.2	43.9	19.5	130.5	TL	0		
14.5 - 20	STANDARD	94038381	18	11	12 SDC	14.2	43.9	19.5	130.5	TL	0	E11-54R-0017876	
16.0/70 - 20 (405/70 - 20)	STANDARD	94015108	14	13 SDC	12	15.9	44.4	19.3	131.9	TT	0	E4-54R-0022639	
16.0/70 - 20 (405/70 - 20)	STANDARD	94038305	14	13 SDC	12	15.9	44.4	19.3	131.9	TL	0	E4-54R-0022639	

Rolling Circumference & SLR values are at rated Load and inflation pressure. These values may vary at different Load and pressure condition.

Printed on 21/11/2024 21:18

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..